

	荧光色素	Abs (nm)	Em (nm)
	Aminomethylcoumarin (AMCA)	346	442
	Alexa Fluor® 350	346	442
	CF350	347	448
	DyLight™ 405	400	420
	Alexa Fluor® 405	401	421
	HiLyte Fluor 405	404	428
	CF405S	404	431
	CF405M	408	452
	Pacific Blue	410	455
	ATTO 425	436	484
	Cy2™	489	505
	CF488A	490	515
	DyLight™ 488	493	518
	NL493	493	514
	Fluorescein (FITC)	495	528
	Alexa Fluor® 488	495	519
	ATTO 495	495	527
	HiLyte Fluor 488	497	525
	ATTO 488	501	523
	R-Phycoerythrin (RPE)	488	575
	ATTO 532	532	553
	CF543	541	560
	DyLight™ 549	550	568
	HiLyte Fluor 555	550	566
	Rhodamine (TRITC)	550	570
	Cy3™	552	565
	ATTO 550	554	576
	Alexa Fluor® 555	555	565
	CF555	555	565
	Alexa Fluor® 546	556	573
	NL557	557	574
	CF568	562	583
	Alexa Fluor® 568	578	603
	Cy3.5™	581	596
	HiLyte Fluor TR	591	622
	CF594	593	614
	HiLyte Fluor 594	593	616
	DyLight™ 594	593	618
	ATTO 590	594	624
	Texas Red®	596	620
	ATTO 594	601	627

	荧光色素	Abs (nm)	Em (nm)
	HiLyte Fluor 680	588	700
	CF633	630	650
	Alexa Fluor® 633	632	647
	NL637	637	658
	DyLight™ 633	638	658
	CF640R	642	662
	ATTO 647N	644	669
	DyLight™ 649	646	674
	HiLyte Fluor 647	649	672
	Allophycocyanin	650	660
	Alexa Fluor® 647	650	665
	CF647	650	665
	Cy5™	650	667
	CF660R	663	682
	ATTO 655	663	684
	Cy5.5™	678	703
	CF680R	680	701
	CF680	681	698
	DyLight™ 680	682	715
	IRDye® 700DX	689	700
	Alexa Fluor® 700	702	723
	Cy7	743	767
	Alexa Fluor® 750	749	775
	HiLyte Fluor 750	750	782
	DyLight™ 750	752	778
	CF750	755	777
	DyLight™ 800	770	794
	CF770	770	797
	IRDye® 800CW	774	800
	IRDye® 800	778	806