

# Polyclonal Secondary Antibodies



Quality Antibodies for Quality Research

**SouthernBiotech**

[www.SouthernBiotech.com](http://www.SouthernBiotech.com) [info@SouthernBiotech.com](mailto:info@SouthernBiotech.com)



# Polyclonal Secondary Antibodies

## Mouse

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
Ig	Goat	Human Ig	1010	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
Ig	Goat F(ab') <sub>2</sub>	Human Ig	1012	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgA	Goat		1040	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgE	Goat		1110	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG	Goat	Human Ig	1030	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG Fab	Goat		1015	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG Fc	Goat		1033	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG Fc	Goat	Hu/Bvn/Hrs SP	1013	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Donkey		6411	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Donkey F(ab') <sub>2</sub>		6412	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Goat		1036	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Rabbit		6170	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Rabbit F(ab') <sub>2</sub>		6120	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Donkey	Human SP	6410	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Goat	Human Ig	1031	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Goat F(ab') <sub>2</sub>	Human Ig	1032	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Rabbit	Human Ig	6175	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Rabbit F(ab') <sub>2</sub>	Human Ig	6125	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Goat	Rat Ig	1034	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Goat	Hu/Bvn/Hrs SP	1037	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Donkey	Multi-Species SP	6415	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG(H+L)	Goat	Multi-Species SP	1038	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>1</sub>	Goat		1071	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>1</sub>	Goat	Human Ig	1070	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>1</sub>	Goat F(ab') <sub>2</sub>	Human Ig	1072	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>1</sub>	Goat	Hu/Bvn/Hrs SP	1073	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>2a</sub>	Goat		1081	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>2a</sub>	Goat	Human Ig	1080	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>2a</sub>	Goat F(ab') <sub>2</sub>	Human Ig	1082	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>2a</sub>	Goat	Hu/Bvn/Hrs SP	1083	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>2b</sub>	Goat		1091	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>2b</sub>	Goat	Human Ig	1090	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>2b</sub>	Goat F(ab') <sub>2</sub>	Human Ig	1092	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>2b</sub>	Goat	Hu/Bvn/Hrs SP	1093	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>2c</sub>	Goat		1078	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>2c</sub>	Goat	Human Ig	1079	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>2c</sub>	Goat	Hu/Bvn/Hrs SP	1077	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgG <sub>3</sub>	Goat		1101	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘

# Polyclonal Secondary Antibodies

## Mouse

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horseradish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
IgG <sub>3</sub>	Goat	Human Ig	1100	🐭	🐭	🐭	🐭		🐭	🐭	🐭	🐭		🐭		🐭	🐭	🐭		🐭	🐭	🐭
IgG <sub>3</sub>	Goat F(ab) <sub>2</sub>	Human Ig	1102	🐭			🐭		🐭	🐭	🐭							🐭		🐭		
IgG <sub>3</sub>	Goat	Hu/Bvn/Hrs SP	1103	🐭	🐭	🐭	🐭															
IgM	Goat		1021	🐭	🐭	🐭	🐭		🐭	🐭	🐭					🐭	🐭	🐭		🐭		
IgM	Goat F(ab) <sub>2</sub>		1023	🐭																		
IgM	Goat	Human Ig	1020	🐭	🐭	🐭	🐭	🐭	🐭	🐭	🐭			🐭		🐭	🐭	🐭	🐭	🐭	🐭	🐭
IgM	Goat F(ab) <sub>2</sub>	Human Ig	1022	🐭			🐭		🐭	🐭	🐭							🐭		🐭		
Kappa	Goat		1050	🐭	🐭	🐭	🐭		🐭	🐭	🐭					🐭	🐭	🐭				
Kappa	Goat F(ab) <sub>2</sub>		1052	🐭	🐭											🐭	🐭	🐭				
Lambda	Goat		1060	🐭	🐭	🐭	🐭		🐭	🐭	🐭					🐭	🐭	🐭				

## Human

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horseradish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
Ig	Goat		2010	👤	👤	👤	👤	👤	👤	👤	👤					👤	👤	👤		👤		
Ig	Goat F(ab) <sub>2</sub>		2012	👤			👤		👤	👤	👤							👤				
Ig Fab	Goat		2085	👤	👤	👤	👤															
Ig Fc	Goat		2047	👤	👤	👤																
IgA	Goat		2050	👤	👤	👤	👤		👤		👤					👤	👤	👤				
IgA	Goat F(ab) <sub>2</sub>		2052	👤			👤		👤		👤							👤				
IgA	Goat	Ms/Bvn/Hrs SP	2053	👤	👤	👤																
IgD	Goat		2030	👤	👤	👤	👤		👤	👤	👤					👤	👤	👤		👤		
IgD	Goat F(ab) <sub>2</sub>		2032	👤			👤		👤	👤	👤							👤		👤		
IgG	Goat		2040	👤	👤	👤	👤	👤	👤	👤	👤					👤	👤	👤		👤		
IgG	Goat Fab		2041	👤	👤	👤	👤															
IgG	Goat F(ab) <sub>2</sub>		2042	👤	👤	👤	👤		👤		👤							👤				
IgG	Goat	Monkey Ig	2049	👤	👤		👤		👤	👤								👤		👤		
IgG	Goat	Mouse Ig	2044	👤	👤	👤																
IgG	Goat F(ab) <sub>2</sub>	Mouse Ig	2043	👤			👤		👤		👤							👤				
IgG	Goat	Ms/Bvn/Hrs SP	2045	👤	👤	👤																
IgG Fc	Goat		2048	👤	👤	👤	👤		👤	👤	👤							👤		👤		
IgG Fc	Goat	Ms/Bvn/Hrs SP	2081	👤	👤	👤																
IgG Fc	Goat	Multi-Species SP	2014	👤	👤	👤												👤		👤		
IgG Fd	Goat		2046	👤	👤	👤																
IgG(H+L)	Goat		2015	👤					👤													
IgG(H+L)	Goat	Ms/Bvn/Hrs SP	2016	👤	👤		👤											👤		👤		

# Polyclonal Secondary Antibodies

## Human

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horseradish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
IgG(H+L)	Goat	Multi-Species ads	2087	👤	👤	👤	👤															
IgG(H+L)	Rabbit		6140	👤	👤	👤	👤		👤		👤											
IgG(H+L)	Rabbit F(ab') <sub>2</sub>		6000	👤	👤	👤			👤	👤												
IgG(H+L)	Rabbit	Mouse Ig	6145	👤	👤	👤	👤		👤													
IgG(H+L)	Rabbit F(ab') <sub>2</sub>	Mouse Ig	6005	👤	👤	👤			👤													
IgG(H+L)	Rabbit	Ms/Bvn/Hrs SP	6146	👤																		
IgM	Goat		2020	👤	👤	👤	👤		👤	👤	👤					👤	👤	👤		👤		
IgM	Goat F(ab') <sub>2</sub>		2022	👤	👤		👤		👤	👤	👤							👤		👤		
IgM	Goat	Ms/Bvn/Hrs SP	2023	👤	👤	👤			👤													
Kappa	Goat		2060	👤	👤	👤	👤	👤	👤	👤	👤					👤	👤	👤		👤		
Kappa	Goat F(ab') <sub>2</sub>		2062	👤	👤		👤		👤	👤	👤							👤		👤		
Kappa	Goat	Mouse Ig	2061	👤	👤	👤	👤		👤		👤					👤	👤					
Kappa	Goat F(ab') <sub>2</sub>	Mouse Ig	2063	👤		👤	👤		👤		👤											
Lambda	Goat		2070	👤	👤	👤	👤		👤	👤	👤					👤	👤	👤		👤		
Lambda	Goat F(ab') <sub>2</sub>		2072	👤	👤		👤		👤		👤										👤	
Lambda	Goat	Mouse Ig	2071	👤	👤	👤	👤															
Lambda	Goat F(ab') <sub>2</sub>	Mouse Ig	2073	👤			👤		👤		👤											

## Goat

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horseradish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
IgG Fab	Rabbit		6022	🐐			🐐															
IgG Fc	Donkey		6460	🐐	🐐																	
IgG Fc	Rabbit		6163	🐐	🐐																	
IgG(H+L)	Rabbit		6160	🐐	🐐	🐐	🐐		🐐							🐐						
IgG(H+L)	Rabbit F(ab') <sub>2</sub>		6020	🐐	🐐	🐐			🐐													
IgG(H+L)	Rabbit	Human SP	6164	🐐	🐐	🐐	🐐		🐐													
IgG(H+L)	Rabbit F(ab') <sub>2</sub>	Human SP	6026	🐐	🐐	🐐			🐐													
IgG(H+L)	Donkey	Mouse/Rat SP	6420	🐐	🐐	🐐	🐐		🐐	🐐	🐐							🐐		🐐		
IgG(H+L)	Donkey F(ab') <sub>2</sub>	Mouse/Rat SP	6421	🐐																		
IgG(H+L)	Swine	Hu/Rt/Ms SP	6300	🐐	🐐	🐐	🐐		🐐		🐐											
IgG(H+L)	Donkey	Multi-Species SP	6425	🐐	🐐		🐐															

# Polyclonal Secondary Antibodies

## Rat

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
Ig	Goat	Mouse Ig	3010	🐭	🐭	🐭	🐭		🐭		🐭					🐭	🐭		🐭			
Ig	Goat Fab	Mouse Ig	3000	🐭	🐭		🐭															
IgG	Goat		3030	🐭	🐭	🐭	🐭	🐭	🐭		🐭					🐭						
IgG	Goat F(ab') <sub>2</sub>		3032	🐭	🐭																	
IgG(H+L)	Rabbit		6180	🐭	🐭	🐭	🐭		🐭													
IgG(H+L)	Rabbit F(ab') <sub>2</sub>		6130	🐭	🐭	🐭			🐭							🐭						
IgG(H+L)	Sheep		6900	🐭																		
IgG(H+L)	Rabbit	Human Ig	6185	🐭	🐭	🐭	🐭		🐭													
IgG(H+L)	Rabbit F(ab') <sub>2</sub>	Human Ig	6135	🐭	🐭	🐭			🐭													
IgG(H+L)	Donkey	Mouse SP	6430	🐭	🐭	🐭	🐭		🐭	🐭	🐭							🐭		🐭		
IgG(H+L)	Donkey F(ab') <sub>2</sub>	Mouse SP	6431	🐭	🐭																	
IgG(H+L)	Goat	Mouse Ig	3050	🐭	🐭	🐭	🐭	🐭	🐭	🐭	🐭					🐭	🐭	🐭		🐭		
IgG(H+L)	Goat F(ab') <sub>2</sub>	Mouse Ig	3052	🐭			🐭		🐭		🐭	🐭	🐭		🐭		🐭					
IgG(H+L)	Mouse	Mouse SP	3053	🐭			🐭															
IgG(H+L)	Goat	Ms/Hu Ig	3051	🐭	🐭		🐭															
IgM	Goat		3020	🐭	🐭	🐭	🐭		🐭	🐭	🐭					🐭	🐭					

## Hamster

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
IgG(H+L)	Goat		6060	🐭	🐭	🐭	🐭		🐭													
IgG(H+L)	Rabbit	Mouse Ig	6211	🐭	🐭						🐭											
IgG(H+L)	Goat	Mouse/Rat Ig	6061	🐭	🐭	🐭	🐭		🐭		🐭			🐭						🐭		
IgG(H+L)	Goat F(ab') <sub>2</sub>	Mouse/Rat Ig	6062	🐭			🐭		🐭		🐭											
IgG(H+L)	Rabbit	Mouse/Rat SP	6215	🐭	🐭		🐭		🐭		🐭											

## Sheep

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
IgG(H+L)	Rabbit		6150	🐏	🐏	🐏	🐏		🐏							🐏						
IgG(H+L)	Rabbit F(ab') <sub>2</sub>		6010	🐏	🐏	🐏			🐏													
IgG(H+L)	Rabbit	Human SP	6156	🐏	🐏	🐏	🐏		🐏													
IgG(H+L)	Rabbit F(ab') <sub>2</sub>	Human SP	6016	🐏	🐏	🐏			🐏													

# Polyclonal Secondary Antibodies

## Rabbit

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
Ig	Goat	Human Ig	4010	🐰	🐰	🐰	🐰	🐰	🐰		🐰					🐰	🐰	🐰	🐰			
IgG	Goat		4030	🐰	🐰	🐰	🐰		🐰	🐰	🐰					🐰		🐰		🐰		
IgG Fab	Goat		4040	🐰	🐰		🐰															
IgG Fab	Goat	Ms/Hu SP	4058	🐰	🐰																	
IgG Fc	Goat		4041	🐰	🐰		🐰		🐰													
IgG(H+L)	Donkey		6441	🐰	🐰				🐰													
IgG(H+L)	Goat		4055	🐰	🐰				🐰													
IgG(H+L)	Swine		6311	🐰																		
IgG(H+L)	Goat	Human Ig	4051	🐰	🐰																	
IgG(H+L)	Goat	Ms/Hu Ig	4050	🐰	🐰	🐰	🐰		🐰	🐰	🐰	🐰				🐰	🐰	🐰	🐰	🐰		
IgG(H+L)	Goat F(ab') <sub>2</sub>	Ms/Hu Ig	4052	🐰	🐰	🐰	🐰		🐰		🐰											
IgG(H+L)	Donkey	Ms/Rt/Hu SP	6440	🐰	🐰	🐰	🐰		🐰	🐰	🐰											
IgG(H+L)	Donkey F(ab') <sub>2</sub>	Ms/Rt/Hu SP	6446	🐰	🐰																	
IgG(H+L)	Goat	Ms/Rt/Hu Ig	4049	🐰	🐰	🐰																
IgG(H+L)	Goat F(ab') <sub>2</sub>	Ms/Rt/Hu Ig	4054	🐰	🐰		🐰		🐰													
IgG(H+L)	Mouse	Ms/Hu/Gt/Sh SP	4091	🐰			🐰															
IgG(H+L)	Swine	Ms/Rt/Hu/Gt SP	6310	🐰	🐰																	
IgG(H+L)	Donkey	Multi-Species SP	6442	🐰	🐰																	
IgG(H+L)	Donkey F(ab') <sub>2</sub>	Multi-Species SP	6444	🐰	🐰																🐰	
IgM	Goat		4020	🐰	🐰	🐰	🐰		🐰		🐰					🐰						
IgM	Goat	Multi-Species SP	4021	🐰																		

# Polyclonal Secondary Antibodies

## Miscellaneous Species

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
Bovine IgG(H+L)	Goat		6030																			
Canine IgG(H+L)	Goat		6070																			
Chicken IgY(H+L)	Goat		6100																			
Chicken IgY(H+L)	Goat	Multi-Species SP	6105																			
Donkey IgG(H+L)	Goat		6800																			
Equine IgG(H+L)	Goat		6040																			
Feline IgG(H+L)	Goat		6080																			
Guinea Pig IgG(H+L)	Goat		6090																			
Porcine IgG(H+L)	Goat		6050																			
Rhesus IgG(H+L)	Goat		6200																			
Turkey IgY(H+L)	Goat		6110																			

### **Corporate Offices**

160 Oxmoor Blvd  
Birmingham, AL 35209  
USA

### **Mailing Address**

PO Box 26221  
Birmingham, AL 35260  
USA

**Tel** 205.945.1774

**Fax** 205.945.8768

**Email** [info@SouthernBiotech.com](mailto:info@SouthernBiotech.com)


**Technical Support** [technical@SouthernBiotech.com](mailto:technical@SouthernBiotech.com)

**Website** [www.SouthernBiotech.com](http://www.SouthernBiotech.com)

**SouthernBiotech is ISO 9001:2008 Certified**

# **SouthernBiotech**

[www.SouthernBiotech.com](http://www.SouthernBiotech.com) [info@SouthernBiotech.com](mailto:info@SouthernBiotech.com)



Spectral Red® is a registered trademark of Southern Biotechnology Associates, Inc.  
Alexa Fluor® is a registered trademark of Life Technologies Corporation.  
Texas Red® is a registered trademark of Molecular Probes, Inc.  
Pacific Blue™ is a trademark of Life Technologies Corporation.  
Cy® is a registered trademark of GE Healthcare.  
MM-PO2-00