Part of the CLS cell bank



Table 1: Human Breast cancer cell lines: Origin and General Characteristics

Name of cell line	Cell type	Organism, Ethnicity	Age / Gender	Tissue / Primary tumor	Morphology	Growth properties	CLS order no.
BT-20 ¹	Mammary carcinoma cell line	Homo sapiens (Human) / Caucasian	74 / Female	Breast / Invasive ductal carcinoma	Epithelial	Monolayer, adherent	300130
BT-474 ²	Mammary carcinoma cell line	Homo sapiens (Human) / Caucasian	60 / Female	Breast / Invasive ductal carcinoma	compact, slowly growing multi-layered colonies	Adherent	300131
BT-549 ³	Mammary carcinoma cell line	Homo sapiens (Human) / Caucasian	72 / Female	Breast / Invasive ductal carcinoma	Epithelial	Monolayer, adherent	300132
COLO-824 ⁴	Mammary carcinoma cell line	Homo sapiens (Human) / Caucasian	52 / Female	Breast / Mammary gland	Epithelial	Monolayer / Suspension	300463
HBL-100 ⁵	Mammary carcinoma cell line	Homo sapiens (Human) / Caucasian	27 / Female	Breast / Mammary gland	Epithelial	Monolayer, adherent	300178
MA-CLS-2 ⁶	Mammary carcinoma cell line	Homo sapiens (Human) / Caucasian	47 / Female	Breast / Pleural effusion, pT1 NO GII	Epithelial	Monolayer, adherent	300271
MCF-7 ⁷	Breast adenocarcinoma cell line	Homo sapiens (Human) / Caucasian	69 / Female	Breast / Invasive ductal carcinoma	Epithelial	Monolayer, adherent	300273
MX-1 ⁸	Mammary carcinoma cell line	Homo sapiens (Human) / Caucasian	74 / Female	Breast / Mammary gland	Epithelial	Monolayer, adherent	300296
SK-Br-3 ¹¹	Breast adenocarcinoma cell line	Homo sapiens (Human) / Caucasian	43 / Female	Breast / Invasive ductal carcinoma	Epithelial	Monolayer, adherent	300333
T-47D ¹²	Mammary carcinoma cell line	Homo sapiens (Human) / Caucasian	54 / Female	Breast / Invasive ductal carcinoma	Epithelial	Monolayer, adherent	300353
ZR-75-1 ¹³	Mammary carcinoma cell line	Homo sapiens (Human) / Caucasian	63 / Female	Breast / Mammary gland; metastatic site: ascites	Epithelial	Monolayer, adherent	300163

Table 2: Human Breast cancer cell lines: Special Features												
Name of cell line	Cell type	Cell Marker	Tumor antigens	Mutations	Secretion of Cytokines	Ref ID in Cellosaurus ¹⁴	CLS order no.					
BT-20 ¹	Mammary carcinoma cell line	HLA A1, Bw16 (+/-)	wnt4 +; wnt7h +	TP53 mut		RRID:CVLL_0178	300130					
BT-474 ²	Mammary carcinoma cell line	HER-2/NEU+; ER+; PR+;		TP53 mut		RRID:CVCL_0179	300131					
BT-549 ³	Mammary carcinoma cell line			TP53 mut		RRID:CVCL_1092	300132					
COLO-824 ⁴	Mammary carcinoma cell line		p53 neg			RRID:CVCL_1136	300463					
HBL-100 ⁵	Mammary carcinoma cell line	HLA A1, A10, A11, B7, B8				RRID:CVCL_4362	300178					
MA-CLS-2 ⁶	Mammary carcinoma cell line					RRID:CVCL_4571	300271					
MCF-7 ⁷	Mammary carcinoma cell line	ER+; PR+;	wnt7h +; Tx-4; p53 negative, pGP9.5 negative, CEA positive	TP53 wt	Insulin-like growth factor binding proteins (IGFBP) BP-2; BP-4; BP-5	RRID:CVCL_0031	300273					
MX-1 ⁸	Mammary carcinoma cell line		p53 neg; Estrogen receptor neg.			RRID:CVCL_4774	300296					
SK-Br-3 ⁹	Mammary carcinoma cell line	Blood Type A; Rh+; HLA A11, Bw22(+/-), B40, B18; HER-2/NEU+;	p53 pos;	TP53 mut		RRID:CVCL_0033	300333					
T-47D ¹⁰	Mammary carcinoma cell line	ER+; PR+;		TP53 mut		RRID:CVCL_0553	300353					
ZR-75-1 ¹¹	Mammary carcinoma cell line					RRID:CVCL_0588	300163					

References:

- 1. Lasfargues EY, Ozello L. Cultivation of human breast carcinomas. J Natl Cancer Inst 21(6): 1131-1147, 1958.
- 2. Lasfargues EY et al. Isolation of two human tumor epithelial cell lines from solid breast carcinomas. J Natl Cancer Inst 61: 967-78, 1978.
- 3. Katayose Y et al. Promoting apoptosis: a novel activity associated with the Cyclin-dependent kinase inhibitor p27. Cancer Res 57: 5441-5, 1997.
- 4. Savelyeva L, Claas A, An H, Weber RG, Lichter P, Schwab M. Retention of polysomy at 9p23-24 during karyotypic evolution in human breast cancer cell line COLO 824. Genes Chromosomes and Cancer 24(1): 87-93, 1999.
- 5. Gaffney EV, Blackburn SE, Polanowski FP. The hormone response of secreting and non-secreting human breast cells in culture. In Vitro 12: 328-329, 1976.
- 6. No references have been published.
- 7. Soule HD et al. A human cell line from a pleural effusion derived from a breast carcinoma. J Natl Cancer Inst 51: 1409-16, 1973.
- 8. Ovejera AA et al. Chemotherapy of human tumor xenografts in genetically athymic mice. Ann Clin Lab Sci 8: 50-6, 1978.
- 9. Fogh J et al. Absence of HeLa cell contamination in 169 cell lines derived from human tumors. J Natl Cancer Inst 58: 209-14, 1977.
- 10. Keydar I et al. Establishment and characterization of a cell line of human breast carcinoma origin. Eur J Cancer 15: 659-70, 1979.
- 11. Engel LW et al. Establishment and characterization of three new continuous cell lines derived from human breast carcinomas. Cancer Res 38: 3352-64, 1978.
- 12. http://web.expasy.org/cellosaurus/ the cellosaurus represents a detailed data collection bank of a plethora of cell line relevant data from various cell banks.

All of the products listed in Table 1/Table 2 are intended for research use only, not for use in human, therapeutic or diagnostic applications.

The General Terms and Conditions of Supply of CLS Cell Lines Service GmbH are valid. According to the Terms, the products are not intended to be resold and/or modified for resale. Their usage in order to provide commercial services or to manufacture commercial products is prohibited unless approved in writing by CLS.

Please contact service @ clsgmbh.de if you have further questions or concerns.

CLS Cell Lines Service GmbHManaging DirectorDr.Eckener-Str. 8Dr. Rosemarie Steubing69214 EppelheimHRB 714394, Amtsgericht MannheimGermanyVAT-ID: DE283292917Phone: +49(0)6221 700799FAX: +49(0)6221 700717