

## ヒト AimPlex™ Premixed Multiplex キット / Single Plex キット 見積依頼書 (32 テスト用)

メーカー: AimPlex Biosciences, Inc. (略号: YSL)

必要事項をご記入の上、弊社取扱代理店または  
弊社(Email: tech@cosmobio.co.jp, FAX: 03-5632-9619)までお送りください。

日付:           年    月    日

ご依頼者	
御氏名	様
会社名/機関名	
ご連絡先	
ご指定代理店	
会社名/営業所	
ご担当者	

<個人情報の利用目的>

- ・製品やサービスの内容を、より充実したものにするため
- ・展示会、セミナーなどのイベントのご案内をお届けするため
- ・お客様から請求のあった資料などをお届けするため
- ・新しいサービスや製品などの情報をお知らせするため

詳細は弊社ホームページ上の個人情報保護方針 (<http://www.cosmobio.co.jp/login/privacy.asp>) をご覧ください。



## AimPlex® Quote Form Human 32-Test Kits

(Note that this quote form is updated periodically. Check on our "Ordering" webpage for the most up-to-date version)

Please fill out this quote form and email to [contact@aimplexbio.com](mailto:contact@aimplexbio.com)

Name: \_\_\_\_\_ Institution: \_\_\_\_\_  
Phone#: \_\_\_\_\_ Email: \_\_\_\_\_

**Step 1.** Select a sample type-specific **Diluent Kit** according to the type of samples will be assayed.

Qty	Diluent Kit	PN
	<a href="#">CCS (Cell culture supernatant) Diluent Kit</a>	P810101
	<a href="#">NR (Non-Rodent) SPB (Serum/Plasma/Bodily Fluid) Diluent Kit</a>	P100111
	<a href="#">TL (Tissue/cell lysate) Diluent Kit</a>	P820301
	<a href="#">Tissue/Cell Lysis Buffer</a>	P820650

**Step 2.** Select a premixed panel OR go to Step 3 to create your own Custom Panel.

Premixed Panels (32 Tests)

Qty	Premixed Panels	PN
	<a href="#">Human Th1/Th2 6-plex Panel 1</a> (IFN $\gamma$ , IL-2, IL-4, IL-6, IL-10, TNF $\alpha$ )	C191061T
	<a href="#">Human Th1/Th2 6-plex Panel 2</a> (IFN $\gamma$ , IL-2, IL-4, IL-5, IL-10, TNF $\alpha$ )	C191062T
	<a href="#">Human Th1/Th2 10-plex Panel</a> (IFN $\gamma$ , IL-1 $\beta$ , IL-2, IL-4, IL-5, IL-6, IL-8, IL-10, IL-12p70, TNF $\alpha$ )	C190010T
	<a href="#">Human Th1/Th2/Th17 7-Plex Panel</a> (IFN $\gamma$ , IL-2, IL-4, IL-6, IL-10, IL-17A, TNF $\alpha$ )	C191107T
	<a href="#">Human Th1/Th2/Th17 14-Plex Panel</a> (IFN $\gamma$ , IL-1 $\beta$ , IL-2, IL-4, IL-5, IL-6, IL-8, IL-10, IL-12p70, IL-17A, IL-17F, IL-22, TNF $\alpha$ , TNF $\beta$ )	C191114T
	<a href="#">Human Th1/Th2/Th17 18-Plex Panel</a> (GM-CSF, IFN $\gamma$ , IL-1 $\beta$ , IL-2, IL-4, IL-5, IL-6, IL-8, IL-9, IL-10, IL-12p70, IL-17A, IL-17F, IL-22, IL-33, TNF $\alpha$ , TNF $\beta$ , TSLP)	C191118T
	<a href="#">Human Inflammation 6-Plex Panel</a> (IL-1 $\beta$ , IL-1RA, IL-6, IL-8, IL-10, IL-12p70, TNF $\alpha$ )	C192206T
	<a href="#">Human Inflammation 7-Plex Panel</a> (IL-1 $\beta$ , IL-1RA, IL-6, IL-8, IL-10, IL-12p70, TNF $\alpha$ )	C192207T
	<a href="#">Human Inflammation 11-Plex Panel</a> (IFN $\gamma$ , IL-1 $\alpha$ , IL-1 $\beta$ , IL-6, IL-8, IL-10, IL-12p70, IL-27, IP-10, MCP-1, TNF $\alpha$ )	C192211T
	<a href="#">Human Inflammation 16-Plex Panel</a> (IFN $\gamma$ , IL-1 $\alpha$ , IL-1 $\beta$ , IL-6, IL-8, IL-10, IL-12p70, IL-13, IL-17A, IL-27, IL-31, IL-33, IP-10, MCP-1, MIP-1 $\alpha$ , and TNF $\alpha$ )	C192216T
	<a href="#">Human Inflammation 18-Plex Panel</a> (IFN $\gamma$ , IL-1 $\alpha$ , IL-1 $\beta$ , IL-4, IL-6, IL-8, IL-10, IL-12p70, IL-13, IL-17A, IL-27, IL-31, IL-33, IP-10, MCP-1, MIP-1 $\alpha$ , MIP-1 $\beta$ , and TNF $\alpha$ )	C192218T

	<a href="#">Human Chemokine 6-Plex Panel</a> (Eotaxin, IL-8, RANTES, MCP-1, MCP-3, IP-10)	C193306T
	<a href="#">Human CD8+ T Cell Related Cytokines, 16-plex Panel</a> (GM-CSF, Granzyme B, IFN $\gamma$ , IL-2, IL-4, IL-5, IL-6, IL-10, IL-13, IL-15, MIP-1 $\alpha$ , MIP-1 $\beta$ , RANTES, sCD137, sFasL, TNF $\alpha$ )	C195516T

**Step 3.** Select any of the **Single-Plex Kits** in the following Groups to create a **Custom Panel (32 Tests)**.

**Human Group 1 (17 analytes)**

	Analyte
<input type="checkbox"/>	<a href="#">CCL2/SYCA2/JE/MCP-1</a>
<input type="checkbox"/>	<a href="#">CCL5/RANTES</a>
<input type="checkbox"/>	<a href="#">CCL7/SCYA7/MARC/MCP-3</a>
<input type="checkbox"/>	<a href="#">CCL11/SCYA11/Eotaxin</a>
<input type="checkbox"/>	<a href="#">CXCL10/IP-10</a>
<input type="checkbox"/>	<a href="#">IFN<math>\gamma</math></a>

	Analyte
<input type="checkbox"/>	<a href="#">IL-1<math>\beta</math></a>
<input type="checkbox"/>	<a href="#">IL-1RA</a>
<input type="checkbox"/>	<a href="#">IL-2</a>
<input type="checkbox"/>	<a href="#">IL-4</a>
<input type="checkbox"/>	<a href="#">IL-6</a>
<input type="checkbox"/>	<a href="#">IL-8/CXCL8</a>

	Analyte
<input type="checkbox"/>	<a href="#">IL-10/CSIF</a>
<input type="checkbox"/>	<a href="#">IL-12p70</a>
<input type="checkbox"/>	<a href="#">IL-17A/CTLA-8</a>
<input type="checkbox"/>	<a href="#">IL-22/IL-TIF</a>
<input type="checkbox"/>	<a href="#">TNF<math>\alpha</math></a>

**Human Group 2 (17 of the 20 analytes available as 32 tests)**

	Analyte
<input type="checkbox"/>	<a href="#">G-CSF/CSF-3</a>
<input type="checkbox"/>	<a href="#">GM-CSF/CSF-2</a>
<input type="checkbox"/>	<a href="#">IFN-<math>\alpha</math>2</a>
<input type="checkbox"/>	<a href="#">IL-1<math>\alpha</math>/IL-1F1</a>
<input type="checkbox"/>	<a href="#">IL-3</a>
<input type="checkbox"/>	<a href="#">IL-5</a>

	Analyte
<input type="checkbox"/>	<a href="#">IL-7</a>
<input type="checkbox"/>	<a href="#">IL-11</a>
<input type="checkbox"/>	<a href="#">IL-12/IL-23p40</a>
<input type="checkbox"/>	<a href="#">IL-13</a>
<input type="checkbox"/>	<a href="#">IL-17F</a>
<input type="checkbox"/>	<a href="#">IL-20/IL-10D</a>

	Analyte
<input type="checkbox"/>	<a href="#">IL-21</a>
<input type="checkbox"/>	<a href="#">IL-33</a>
<input type="checkbox"/>	<a href="#">M-CSF</a>
<input type="checkbox"/>	<a href="#">TSLP</a>
<input type="checkbox"/>	<a href="#">VEGF-A</a>

Note: Analytes in different groups may be multiplexed together if there is no conflicted on the bead regions but may have some cross-reactivity because we have not validated cross-reactivity of all analytes across the panels. Please contact us for such an order at [contact@aimplexbio.com](mailto:contact@aimplexbio.com).

**Step 4. Indicate quantity of the Single-Plex Kit(s)**

= Quantity, # of 32-Test Kits

EZPrep Filter Plate Washer NX ([package insert](#))

Describe in the space below any special instruction required to fulfill this order.