

マウス AimPlex™ Premixed Multiplex キット／Single Plex キット

見積依頼書 (96 テスト用)

メーカー: AimPlex Biosciences, Inc. (略号: YSL)

必要事項をご記入の上、弊社取扱代理店または

弊社 (Email: tech@cosmobio.co.jp, FAX: 03-5632-9619) までお送りください。

日付: 年 月 日

ご依頼者	
御氏名	様
会社名/機関名	
ご連絡先	
ご指定代理店	
会社名/営業所	
ご担当者	

<個人情報の利用目的>

- ・製品やサービスの内容を、より充実したものにするため
- ・展示会、セミナーなどのイベントのご案内をお届けするため
- ・お客様から請求のあった資料などをお届けするため
- ・新しいサービスや製品などの情報をお知らせするため

詳細は弊社ホームページ上の個人情報保護方針 (<http://www.cosmobio.co.jp/login/privacy.asp>) をご覧ください。



AimPlex® Quote Form Mouse 96-Test Kits

(Note that this quote form is updated periodically. Check on our "Ordering" webpage for the most up-to-date version)

Please fill out this quote form and email to contact@aimplexbio.com

Name: _____ Institution: _____
 Email: _____ Phone#: _____

Step 1. Select a sample type-specific **Diluent Kit** according to the type of samples will be assayed.

Qty	Diluent Kit	PN
	CCS (Cell Culture Supernatant) Diluent Kit	P810101
	Mouse/Rat SPB (Serum/Plasma/Bodily Fluid) Diluent Kit	R200201
	TL (Tissue/Cell Lysate) Diluent Kit	P820301
	Tissue/Cell Lysis Buffer	P820650
	TGFβ Diluent Kit	P900110
	Mouse CRP Diluent Kit	P920501

Step 2. Select a premixed panel OR go to Step 3 to create your own Custom Panel.

Premixed Panels (96 Tests)

Qty	Premixed Panels	PN
	Mouse T Helper Cytokine 3-Plex Panel 1 (IL-6, IL-10, TNFα)	C281031
	Mouse T Helper Cytokine 3-Plex Panel 2 (IFNγ, IL-10, TNFα)	C281032
	Mouse T Helper Cytokine 3-Plex Panel 3 (IL-9, IL-10, TNFα)	C281033
	Mouse T Helper Cytokine 4-Plex Panel 1 (IFNγ, IL-4, IL-6, TNFα)	C281041
	Mouse T Helper Cytokine 4-Plex Panel 2 (IFNγ, IL-4, IL-10, TNFα)	C281042
	Mouse t Helper Cytokine 4-Plex Panel 3 (IL-6, IL-10, IL-22, TNFα)	C281043
	Mouse Th1/Th2 5-Plex (IFNγ, IL-2, IL-4, IL-5, TNFα)	C280005
	Mouse Th1/Th2 6-Plex Panel 1 (IFNγ, IL-2, IL-4, IL-6, IL-10, TNFα)	C281061
	Mouse Th1/Th2 6-Plex Panel 2 (IFNγ, IL-2, IL-4, IL-5, IL-10, TNFα)	C281062
	Mouse Th1/Th2 8-Plex (IFNγ, IL-1α, IL-2, IL-4, IL-5, IL-6, IL-10, and TNFα)	C281062

Rev. 2.0 (12182019)

Page 2 of 5

コスモ・バイオ株式会社
 〒135-0016 東京都江東区東陽 2-2-20 東陽駅前ビル
 URL: <http://www.cosmobio.co.jp> 営業部(お問合せ) TEL: (03) 5632-9610/9620, FAX: (03) 5632-9619

0245_YSL_Q
201912

	Mouse Th1/Th2/Th17 7-Plex (IFN γ , IL-2, IL-4, IL-6, IL-10, IL-17A, TNF α)	C281107
	Mouse Th1/Th2/Th17 10-Plex (GM-CSF, IFN γ , IL-1 α , IL-2, IL-4, IL-5, IL-6, IL-10, IL-17A, TNF α)	C280010
	Mouse Th1/Th2/Th17 14-Plex (IFN γ , IL-1 α , IL-1 β , IL-2, IL-4, IL-5, IL-6, IL-10, IL-12p70, IL-13, IL-17A, IL-21, IL-22, TNF α)	C281114
	Mouse Th1/Th2/Th17 16-Plex (GM-CSF, IFN γ , IL-1 α , IL-1 β , IL-2, IL-4, IL-5, IL-6, IL-10, IL-12p70, IL-13, IL-17A, IL-21, IL-23, KC, TNF α)	C281116
	Mouse Th1/Th2/Th17 18-Plex (GM-CSF, IFN γ , IL-1 α , IL-1 β , IL-2, IL-4, IL-5, IL-6, IL-10, IL-12p70, IL-13, IL-17A, IL-21, IL-22, IL-23, KC, TNF α , TSLP)	C281118
	Mouse Inflammation 5-Plex Panel 1 (IL-1 β , IL-6, IL-10, MCP-1, TNF α)	C282251
	Mouse Inflammation 5-Plex Panel 2 (IL-6, IL-10, IL-12p70, MCP-1, TNF α)	C282252
	Mouse Inflammation 6-Plex (IFN γ , IL-6, IL-10, IL-12p70, MCP-1, TNF α)	C282206
	Mouse Inflammation 7-Plex Panel 1 (IFN γ , IL-1 β , IL-6, IP-10, KC, MCP-1, TNF α)	C282271
	Mouse Inflammation 7-Plex Panel 2 (IL-1 α , IL-1 β , IL-6, IL-10, IL-22, IL-23, TNF α)	C282272
	Mouse Inflammation 8-Plex (IFN γ , IL-1 α , IL-6, IL-10, IL-12p70, KC, MCP-1, TNF α)	C282208
	Mouse Inflammation 11-Plex (IFN γ , IL-1 α , IL-1 β , IL-6, IL-10, IL-12p70, IL-23, IP-10, KC, MCP-1, TNF α)	C282211
	Mouse Inflammation 17-Plex (IFN γ , IL-1 α , IL-1 β , IL-6, IL-9, IL-10, IL-12p70, IL-13, IL-15, IL-23, IP-10, KC, MCP-1, MIP-1 α , MIP-1 β , RANTES, TNF α)	C282217
	Mouse Chemokine 7-Plex (Eotaxin, KC, RANTES, MIG, MCP-1, MCP-3, IP-10)	C283308

Step 3. Select any of the **Single-Plex Kits** in the following Groups to create a **Custom Panel (96 Tests)**.

Mouse Group 1 (16 analytes)

	Analyte
<input type="checkbox"/>	CCL2/SCYA2/JE/MCP-1
<input type="checkbox"/>	CCL5/SCYA5/RANTES
<input type="checkbox"/>	CCL7/SCYA7/MARC/MCP-3
<input type="checkbox"/>	CCL11/SCYA11/Eotaxin
<input type="checkbox"/>	CXCL1/KC/CINC1/GROα
<input type="checkbox"/>	CXCL9/MIG

	Analyte
<input type="checkbox"/>	CXCL10/IP-10
<input type="checkbox"/>	IFNγ
<input type="checkbox"/>	IL-1α/IL-1F1
<input type="checkbox"/>	IL-2
<input type="checkbox"/>	IL-4
<input type="checkbox"/>	IL-6

	Analyte
<input type="checkbox"/>	IL-10/CSIF
<input type="checkbox"/>	IL-12p70
<input type="checkbox"/>	IL-17A/CTLA-8
<input type="checkbox"/>	TNFα

Mouse Group 2 (18 analytes)

	Analyte
<input type="checkbox"/>	CCL3/SCYA3/MIP-1α
<input type="checkbox"/>	CCL4/SCYA4/MIP-1β
<input type="checkbox"/>	G-CSF/CSF-3
<input type="checkbox"/>	GM-CSF/CSF-2
<input type="checkbox"/>	IL-1β/IL-1F2
<input type="checkbox"/>	IL-3

	Analyte
<input type="checkbox"/>	IL-5
<input type="checkbox"/>	IL-7
<input type="checkbox"/>	IL-12/IL-23 p40
<input type="checkbox"/>	IL-13
<input type="checkbox"/>	IL-15
<input type="checkbox"/>	IL-17E

	Analyte
<input type="checkbox"/>	IL-21
<input type="checkbox"/>	IL-22/IL-TIF
<input type="checkbox"/>	IL-28A/B/IFNγ2/3
<input type="checkbox"/>	M-CSF/CSF-1
<input type="checkbox"/>	OSM/Oncostatin M
<input type="checkbox"/>	TSLP

Mouse Group 3 (18 analytes)

	Analyte
<input type="checkbox"/>	BTC/Betacellulin
<input type="checkbox"/>	CCL12/MCP-5
<input type="checkbox"/>	CCL20/MIP-3α
<input type="checkbox"/>	CCL27/CTACK
<input type="checkbox"/>	CXCL2/GRO-β/MIP-2
<input type="checkbox"/>	CXCL5/LIX/GCP2

	Analyte
<input type="checkbox"/>	CXCL16/SCYB16
<input type="checkbox"/>	IL-1RA
<input type="checkbox"/>	IL-2Rα/sCD25/Ly43
<input type="checkbox"/>	IL-7R/IL-7Rα/sCD127
<input type="checkbox"/>	IL-9
<input type="checkbox"/>	IL-23p19

	Analyte
<input type="checkbox"/>	IL-25/IL-17E
<input type="checkbox"/>	Leptin/LEP
<input type="checkbox"/>	LIF
<input type="checkbox"/>	TNFSF11/sCD254/RANKL
<input type="checkbox"/>	TNFSF13B/ BlyS/BAFF/sCD257
<input type="checkbox"/>	VEGF

Mouse Group 4 (18 analytes)

	Analyte
<input type="checkbox"/>	Activin A
<input type="checkbox"/>	BDNF
<input type="checkbox"/>	CCL9/CCL10/MIP-1γ
<input type="checkbox"/>	CCL17/TARC
<input type="checkbox"/>	CCL19/MIP-3β
<input type="checkbox"/>	CCL21/6Ckine

	Analyte
<input type="checkbox"/>	CCL22/ABCD-1
<input type="checkbox"/>	CXCL13/BLC
<input type="checkbox"/>	CXCL14/BRAK
<input type="checkbox"/>	FGF-1/FGF-acidic/HBGF-1
<input type="checkbox"/>	FGF-2/FGF-basic/HBGF-2
<input type="checkbox"/>	FGF-9/HBGF-9/GAF

	Analyte
<input type="checkbox"/>	HGF/HPTA/SF
<input type="checkbox"/>	IL-11
<input type="checkbox"/>	IL-20/IL-10D
<input type="checkbox"/>	IL-33/NFHEV/DVS27
<input type="checkbox"/>	TNFRSF11B/OPG/Osteoprotegerin
<input type="checkbox"/>	TIMP-1/TIMP1

Mouse Group 5 (19 analytes)

	Analyte
<input type="checkbox"/>	CD10/Nepriylisin
<input type="checkbox"/>	CD14/sCD14
<input type="checkbox"/>	CD27/sTNFRSF7
<input type="checkbox"/>	CD54/sICAM-1
<input type="checkbox"/>	CD62E/sE-selectin
<input type="checkbox"/>	CD62L/sL-selectin
<input type="checkbox"/>	CD62P/sP-selectin

	Analyte
<input type="checkbox"/>	CD105/Endoglin/sCD105
<input type="checkbox"/>	CD106/sVCAM-1
<input type="checkbox"/>	CD119/sIFNγR1/IFNγRa
<input type="checkbox"/>	CD120a/sTNFRI
<input type="checkbox"/>	CD120b/TNFRII
<input type="checkbox"/>	CD153/sCD30L/TNFSF8

	Analyte
<input type="checkbox"/>	CD154/sCD40L/TNFSF5
<input type="checkbox"/>	CD266/sTWEAK-R/TNFRSF12a
<input type="checkbox"/>	CD309/KDR/Flk-1/sVEGFR2
<input type="checkbox"/>	CD121a/IL-1RI
<input type="checkbox"/>	RAGE/sRAGE/AGER
<input type="checkbox"/>	VEGFR1/Flt-1/sVEGFR1

Additional Single-Plex Kits

Analyte

Analyte

Analyte

<input type="checkbox"/>	TGFβ1	<input type="checkbox"/>	TNFRSF8/sCD30	<input type="checkbox"/>	beta-NGF/NGFB
<input type="checkbox"/>	ANGPT-1 /Angiopoietin-1	<input type="checkbox"/>	CCL24/SCYA24/Eotaxin-2	<input type="checkbox"/>	CRP
<input type="checkbox"/>	EGF	<input type="checkbox"/>	CCL8/MCP-2	<input type="checkbox"/>	CCL28/MEC/CCK-1
<input type="checkbox"/>	CX3CL1/FKN/Fractalkine	<input type="checkbox"/>	CXCL4/PF4	<input type="checkbox"/>	TPO/Thrombopoietin

Note: Analytes in different groups may be multiplexed together if there is no conflicted on the bead regions but may have some cross-reactivity because we have not validated cross-reactivity of all analytes across different panels. Please contact us for such an order at contact@aimplexbio.com.

Step 4. Indicate quantity of the Single-Plex Kit(s)

= Quantity, # of 96-well Plate(s)

EZPrep Filter Plate Washer NX ([package insert](#))

Describe any special instruction required to fulfill this order in the space below.