

シグナル伝達抗体ミニカタログ

Cancer page 2

Neuroscience page 5

Epigenetics page 7

TrueBlot® IP/WB 試薬
page 10

**AKT アイソフォーム
特異的抗体** page 11



Rockland (RKL) 社では、米国国立癌研究所 (National Cancer Institute (NCI)) の癌研究センターと共同で、シグナル伝達及び癌研究に関連する一連の抗体をリリースしています。この共同研究は、研究の基礎と実用を結びつけ、生命科学研究者と共に、生物医学研究を促進するためのよりよいバイオ試薬を開発することを目的としています。これらの試薬により、癌に関連する細胞機能の理解を深めることができると考えています。

カタログ内の*のついた抗体は NCI で評価しています。



人と科学のステキな未来へ

コスモ・バイオ株式会社


Cancer

Rockland Immunochemicals, Inc. メーカー略号: RKL


品名	免疫動物	由来	適用	品番	包装	希望販売価格
* Anti ABCB1	Rabbit	Human	WB, IHC, ELISA	600-401-967	100 µg	¥55,000
* Anti ABCB8	Rabbit	Human	WB, ELISA	100-401-P00	100 µL	¥69,000
* Anti AGAP4	Rabbit	Human	WB, ELISA	200-401-P07	100 µg	¥69,000
Anti AKT pan	Rabbit	Human	WB, IHC, ELISA, IF	100-401-401	200 µL	¥55,000
Anti AKT pan	Sheep	Human	WB, ELISA	600-601-401	100 µg	¥55,000
Anti AKT pan	Mouse	Human	WB, IHC, ELISA	200-301-401	100 µg	¥55,000
Anti AKT, phospho Ser473	Rabbit	Human	WB, IHC, ELISA	600-401-268	100 µg	¥55,000
Anti AKT, phospho Thr308	Rabbit	Human	WB, ELISA	600-401-269	100 µg	¥55,000
Anti AKT1	Mouse	Human	WB, IHC, ELISA	200-301-151	100 µg	¥66,000
Anti AKT2	Rabbit	Human	WB, ELISA	600-401-425	100 µg	¥55,000
Anti AKT2	Rat	Human	WB, ELISA	200-501-E71	100 µg	¥65,000
Anti AKT3	Mouse	Human	WB, ELISA	200-301-E75	100 µg	¥65,000
Anti Angiopoietin 1	Rabbit	Mouse	WB, ELISA	100-401-403	200 µL	¥55,000
Anti Angiopoietin 2	Rabbit	Mouse	WB, ELISA	100-401-402	200 µL	¥55,000
Anti ATG13	Rabbit	Human	WB, ELISA	600-401-C50	100 µg	¥58,000
Anti ATG13, phospho Ser318	Rabbit	Human	WB, ELISA	600-401-C49	100 µg	¥58,000
Anti ATM Protein Kinase S1981	Rabbit	Human	WB, ELISA	600-401-398	100 µg	¥70,000
Anti ATM Protein Kinase, phospho Ser1981	Mouse	Human	WB, ELISA, IF	200-301-400	100 µg	¥83,000
Anti Aurora B, phospho Thr232	Rabbit	Human	WB, ELISA, IF	600-401-677	100 µg	¥55,000
Anti BrdU	Rabbit		IHC, ELISA, IF	600-401-C29	100 µg	¥55,000
Anti BrdU	Mouse		WB, IHC, ELISA, FC, IF	200-301-H50	100 µg	¥66,000
* Anti c-Met, phospho Tyr1349/Tyr1356	Rabbit	Human	WB	600-401-989	100 µg	¥55,000
Anti Cdk9	Rabbit	Human	WB, IHC, ELISA, IP	100-401-167	100 µL	¥55,000
Anti Collagen 1	Rabbit	Bovine	WB, IHC, ELISA, IP	600-401-103-0.1	0.1mg	¥55,000
Anti Collagen 2	Rabbit	Human	WB, IHC, ELISA, IP	600-401-104-0.1	100 µg	¥55,000
Anti Collagen 3	Rabbit		WB, ELISA, IP	600-401-105-0.1	0.1mg	¥55,000
Anti Collagen 4	Rabbit		WB, ELISA, IP	600-401-106-0.1	0.1mg	¥55,000
Anti Collagen 5	Rabbit		WB, ELISA, IP	600-401-107-0.1	0.1mg	¥55,000
Anti Cyclin D1	Rabbit	Human	WB, ELISA, IP	100-401-153	100 µL	¥55,000
Anti DNA PKcs, phospho Thr2609	Rabbit	Human	WB, ELISA	600-401-494	100 µg	¥55,000

* NCI (米国国立癌研究所) で評価済み


適用 ChIP: クロマチン免疫沈降 Dot: ドットプロット ELISA: 固相酵素免疫検定法 FC: フローサイトメトリー Gel Shift: ゲルシフトアッセイ
 IB: 免疫ブロット IF: 免疫蛍光法 IHC: 免疫組織化学 IHC(f): 免疫組織化学凍結切片 IHC(p): 免疫組織化学パラフィン切片
 IP: 免疫沈降 Neu: 中和 WB: ウェスタンブロット




Rb anti-AKTMs



anti-AKT pS473




Rb anti-AKT pS473




Ms anti-AKT pT308




Rb Mab anti-BAX




Ms anti-BrdU




Rb anti-GSK3 alpha




Rb anti-GSK3 beta pS9




Rb anti-MDM2



Rb anti-mTOR




Rb anti-mTOR pS2448




Rb anti-NF κ B cRel

品名	免疫動物	由来	適用	品番	包装	希望販売価格
Anti Fibronectin	Rabbit	Human	WB, IHC, ELISA	600-401-117-0.1	0.1mg	¥55,000
Anti Glycogen Synthase, phospho Ser640	Rabbit	Human	WB, IHC, ELISA	600-401-415	100 µg	¥55,000
Anti GSK3 α	Rabbit	Human	WB, ELISA	600-401-444	100 µg	¥55,000
Anti GSK3 α , phospho Ser21	Rabbit	Human	WB, ELISA, IF	600-401-429	100 µg	¥55,000
Anti GSK3 β , phospho Ser9	Rabbit	Human	WB, IHC, ELISA, IF	600-401-424	100 µg	¥55,000
Anti HER3	Rabbit	Human	WB, ELISA, IP	200-401-205	250 µg	¥55,000
* Anti HSP 90 α , acetyl specific K294	Rabbit	Human	WB, IHC, ELISA	600-401-981	100 µg	¥55,000
Anti IdU	Mouse		WB, IHC, ELISA, FC, IF	200-301-H51	100 µg	¥66,000
* Anti IFN induced GTPase-Like Protein	Rabbit	Mouse	WB, ELISA	100-401-N95	100 µL	¥69,000
Anti IKB α	Rabbit	Human	WB, IHC, ELISA	100-4167C	100 µL	¥55,000
Anti Ikb β	Rabbit	Human	WB, ELISA	100-4186	100 µL	¥55,000
Anti IKK α	Rabbit	Human	WB, ELISA	100-401-219	100 µL	¥55,000
Anti IKK β	Rabbit	Human	WB, IHC, ELISA	100-401-220	100 µL	¥55,000
Anti IKK ϵ , phospho Thr501	Rabbit	Human	WB, ELISA	600-401-267	100 µg	¥55,000
Anti IL 1 β	Rabbit	Human	WB, IHC, ELISA, IP, Neu	209-401-301	1mg	¥55,000
Anti IL 6	Rabbit	Human	WB, IHC, ELISA, IP	109-401-310	1mL	¥60,000
Anti IL 6	Rabbit	Human	WB, ELISA	209-401-310	100 µg	¥55,000
Anti IL 10	Rabbit	Human	WB, IHC, ELISA	109-401-312	1mL	¥55,000
* Anti L1/ORF2	Chicken	Human	ELISA	200-901-P11	100 µg	¥69,000
Anti Lysozyme	Rabbit	Chicken	WB, ELISA, IC, IP	200-401-072	100 µg	¥58,000
Anti Mcl-1	Rabbit	Mouse	WB, ELISA	600-401-394	100 µg	¥55,000
Anti MDM2	Rabbit	Mouse	WB, ELISA, IP	600-401-927	100 µg	¥55,000
Anti MDM2, phospho Ser185	Rabbit	Mouse	WB, ELISA, IP	600-401-423	100 µg	¥55,000
Anti Mesothelin	Mouse	Human	WB, IHC, ELISA	200-301-A88	100 µg	¥55,000
* Anti MMTV	Rabbit	Mouse	WB, ELISA	100-401-P12	100 µL	¥69,000
* Anti MMTV	Rabbit	Mouse	WB, ELISA	100-401-P13	100 µL	¥69,000
Anti mTOR	Rabbit	Human	WB, ELISA	600-401-897	100 µg	¥55,000
Anti mTOR, phospho Ser2448	Rabbit	Mouse	WB, IHC, ELISA	600-401-422	100 µg	¥55,000
Anti Myosin	Rabbit	Human	WB, ELISA, IP	600-401-938	100 µg	¥55,000
Anti Myosin, phospho Ser19/Ser20	Rabbit	Human	WB, ELISA, IP	600-401-416	100 µg	¥70,000


* NCI (米国立癌研究所) で評価済み



Rb anti-NFkB p50




Rb anti-NFkB p65




Rb anti-NFkB p65 pS276




Rb anti-NFkB p65 pS529



Rb anti-NFkB p65 pS536




Ms anti-p21



Rb anti-p27




Ms anti-p53



Rb anti-p70 S6



Rb anti-Pdcd4



Rb anti-Osteopontin



Rb anti-SMAD3

Cancer

Rockland Immunochemicals, Inc. メーカー略号: RKL

品名	免疫動物	由来	適用	品番	包装	希望販売価格
Anti Nag-1	Rabbit	Mouse	WB, ELISA	610-401-B87	100 µg	¥55,000
Anti NF κ B p105	Rabbit	Human	WB, ELISA	100-4184	100 µL	¥55,000
Anti NF κ B p65,NLS specific	Rabbit	Human	WB, ELISA, IF, Gel Shift	600-401-271	100 µg	¥55,000
Anti NF κ B cRel	Rabbit	Human	WB, ELISA	100-4166	100 µL	¥55,000
Anti NF κ B p50	Rabbit	Human	WB, ELISA	100-4164	100 µL	¥55,000
Anti NF κ B p52	Rabbit	Human	WB, ELISA	100-4185	100 µL	¥55,000
Anti NF κ B p65/Rel A	Rabbit	Human	WB, ELISA	100-4165N	100 µL	¥55,000
Anti NF κ B p65/Rel A	Mouse	Human	WB, IHC, ELISA, IF	200-301-065	100 µg	¥58,000
Anti NF κ B p65/Rel A	Rabbit	Human	WB, ELISA, Gel Shift	100-4165	100 µL	¥55,000
Anti NF κ B p65/Rel A, phospho Ser276	Rabbit	Human	WB, ELISA	100-401-264	100 µL	¥55,000
Anti NF κ B p65/Rel A, phospho Ser529	Rabbit	Human	WB, ELISA	100-401-266	100 µL	¥55,000
* Anti NF κ B p65/Rel A, phospho Ser536	Rabbit	Human	WB, IHC, ELISA	600-401-265	100 µg	¥55,000
Anti Osteopontin	Rabbit	Human	WB, IHC, ELISA	100-401-404	200 µL	¥55,000
Anti p21	Mouse	Human	WB, ELISA, IP	200-301-171	100 µg	¥55,000
Anti p27	Rabbit	Human	WB, ELISA, IP	100-401-172	100 µL	¥55,000
Anti p53	Mouse	Human	WB, IHC, ELISA, IP	200-301-174	100 µg	¥55,000
Anti p70 S6 Kinase	Rabbit	Human	WB, ELISA, IP	600-401-942	100 µg	¥55,000
Anti Pdcd4	Rabbit	Human	WB, IHC, ELISA	600-401-965	100 µg	¥55,000
Anti Pdcd4, phospho Ser457	Mouse	Human	WB, IHC, ELISA	200-301-964	100 µg	¥55,000
Anti PDK 1	Rabbit	Human	WB, IHC, ELISA	600-401-411	100 µg	¥55,000
Anti PPAR α	Rabbit	Human	WB, ELISA	600-401-421	100 µg	¥55,000
Anti PPAR δ	Rabbit	Human	WB, ELISA	600-401-420	100 µg	¥55,000
Anti PTEN-P1	Rabbit	Human	WB, ELISA	600-401-A90	100 µg	¥55,000
Anti PTEN P1, phospho Ser29/Thr32	Rabbit	Human	WB, ELISA	600-401-859	100 µg	¥55,000
* Anti Setdb2	Rabbit	Mouse	WB, ELISA	200-401-N99	100 µg	¥69,000
Anti SFRP1	Rabbit	Human	WB, IHC, ELISA	600-401-475	100 µg	¥55,000
* Anti Smad3	Rabbit	Human	WB, IHC, ELISA	600-401-920	100 µg	¥55,000
* Anti Smad3, phospho Ser423/Ser425	Rabbit	Human	WB, IHC, ELISA	600-401-919	100 µg	¥55,000
Anti SUMO	Rabbit	Yeast	WB, ELISA	200-401-428	500 µg	¥55,000
Anti TERT	Rabbit	Human	WB, IHC, ELISA, IF	600-401-252	100 µg	¥55,000
Anti TGF β 1 specific	Rabbit	Human	WB, ELISA, IF	600-401-432	100 µg	¥55,000
Anti TNF α	Rabbit	Human	WB, ELISA	209-401-306	1mg	¥55,000
Anti Ubiquitin	Rabbit		WB, IHC, ELISA	200-401-431	500 µg	¥55,000

* NCI (米国国立癌研究所) で評価済み

適用 ChIP: クロマチン免疫沈降 Dot: ドットプロット ELISA: 固相酵素免疫検定法 FC: フローサイトメトリー Gel Shift: ゲルシフトアッセイ
 IB: 免疫ブロット IF: 免疫蛍光法 IHC: 免疫組織化学 IHC(f): 免疫組織化学凍結切片 IHC(p): 免疫組織化学パラフィン切片
 IP: 免疫沈降 Neu: 中和 WB: ウェスタンブロット

配布中です!

ロックランド社は抗体の製造過程において入念なテストを何度も繰り返している為、非常に高品質です! www.cosmobio.co.jp でご請求頂けます



二次抗体ミニカタログ


高品質のアフィニティー精製済み二次抗体を紹介しています。非交差動物種や標識の種類など、多数取り揃えております。また、従来の蛍光色素に取って代わる「Dylight®」という蛍光強度が高く、光安定性に優れた蛍光色素を標識した二次抗体にもご注目ください。



タグ抗体ミニカタログ

汎用性の高いタグ抗体を紹介しています。免疫動物種違いの抗体や多種類の標識抗体など豊富な品揃えです。

Neuroscience



β Amyloid 抗体

品番：600-401-253 包装：100 μ g 希望販売価格：¥55,000

適用：WB, IF, IHC, ELISA

β Amyloid 抗体はマウス脳組織抽出物のウエスタンブロッティングにおいて、より高い分子量の前駆体と一致する 40-50 kDa のバンドを検出します。

交差種：ヒト、マウス

本抗体はイムノアフィニティークロマトグラフィーで精製されています。 β Amyloid の N 末端を認識します。

Rockland Immunochemicals, Inc. メーカー略号：RKL

品名	免疫動物	由来	適用	品番	包装	希望販売価格
Anti ABCA4 Rim Protein	Mouse	Bovine	WB, IHC, ELISA	200-301-D05	100 μ L	¥65,000
Anti α Synuclein	Mouse	Human	WB, ELISA	500-301-E56	100 μ L	¥65,000
Anti Amyloid Oligomers (A11)	Rabbit	Human	WB, IHC, ELISA, IP	200-401-E88	100 μ L	¥65,000
Anti AP2A1	Goat	Human	WB, ELISA, IP	600-101-287	100 μ g	¥55,000
Anti AP3D1	Goat	Human	WB, ELISA, IP	600-101-290	100 μ g	¥55,000
Anti Apolipoprotein A1	Goat	Human	WB, IHC, ELISA, IP	600-101-109	1mg	¥55,000
Anti Apolipoprotein B	Goat	Human	WB, IHC, ELISA, IP	600-101-111	1mg	¥55,000
Anti Apolipoprotein E	Goat	Human	WB, IHC, ELISA	600-101-197	0.5mg	¥55,000
Anti Apolipoprotein J	Goat	Human	WB, IHC, ELISA, IP	600-101-198	0.5mg	¥55,000
Anti β Amyloid	Rabbit	Human	WB, IHC, ELISA, IF	600-401-253	100 μ g	¥55,000
Anti β Amyloid protein 40	Rabbit	Human	WB, IHC, ELISA, IF	600-401-J10	50 μ g	¥73,000
Anti β Amyloid pyro E11	Rabbit	Human	WB, IHC, ELISA, IF	600-401-J13	50 μ g	¥73,000
Anti β Amyloid pyro E3	Rabbit	Human	WB, IHC, ELISA, IF	600-401-J14	50 μ g	¥73,000
Anti Calretinin	Sheep	Guinea Pig	WB, IHC, ELISA	200-601-D13	100 μ L	¥65,000
Anti CaM Kinase II	Rabbit	Human	WB, ELISA	600-401-873	100 μ g	¥55,000
Anti CaM Kinase II	Mouse	Rat	WB, IHC, ELISA, IF, IP	200-301-F00	100 μ g	¥65,000
Anti CaM Kinase II, phospho Thr286	Rabbit	Rat	WB, ELISA	612-401-C71	100 μ L	¥65,000
Anti CaM Kinase II, phospho Tyr305	Rabbit	Rat	WB, ELISA	112-401-C72	100 μ L	¥65,000
Anti Catalase	Rabbit	Bovine	WB, IHC, ELISA	200-401-051	100 μ g	¥58,000
Anti ChAT	Rabbit	Human	WB, IHC	100-401-D16	100 μ L	¥65,000
Anti Cox 2	Rabbit	Human	WB, IHC, ELISA	100-401-226	100 μ L	¥55,000
Anti Dab1	Rabbit	Mouse	WB, ELISA, IP	100-401-225	100 μ L	¥55,000
Anti DELTA-4	Rabbit	Human	WB, IHC, ELISA	600-401-696	100 μ g	¥55,000
Anti Dopamine Transporter	Rabbit	Human	WB, IHC, ELISA	600-401-C75	100 μ L	¥65,000
Anti EGR-1	Rabbit	Human	WB, IHC, ELISA	600-401-693	100 μ g	¥55,000
Anti FREQUENIN	Rabbit	Mouse	WB, ELISA	600-401-216	100 μ g	¥55,000
Anti GABA(A) Receptor β 3, phospho Ser408/Ser409	Rabbit	Rat	WB	612-401-D51	100 μ L	¥65,000
Anti GABA(A) Receptor δ	Rabbit	Rat	WB, IHC, IP	600-401-C80	100 μ L	¥64,000
Anti GABA(B) Receptor 2, phospho Ser783	Rabbit	Rat	WB, IF	612-401-D53	100 μ L	¥65,000
Anti GFP	Mouse	<i>Aequorea victoria</i>	WB, IHC, ELISA	600-301-215	1mg	¥73,000
Anti Gli-1	Rabbit	Mouse	WB, IHC, ELISA	100-401-223	100 μ L	¥55,000
Anti Gli-2	Rabbit	Human	WB, IHC, ELISA	600-401-845	100 μ g	¥55,000
Anti Gli-2	Rabbit	Mouse	WB, IHC, ELISA	600-401-695	100 μ g	¥55,000
Anti Gli-3	Rabbit	Human	WB, IHC, ELISA	600-401-694	100 μ g	¥55,000

Neuroscience

Rockland Immunochemicals, Inc. メーカー略号: RKL

品名	免疫動物	由来	適用	品番	包装	希望販売価格
Anti GluR2, phospho Ser880	Rabbit	Rat	WB	612-401-D64	100 µL	¥65,000
Anti HSP 27	Mouse	Human	WB, ELISA	200-301-243	100 µg	¥55,000
Anti Huntington, phospho Ser421	Rabbit	Human	WB, IHC, ELISA	600-401-433	100 µg	¥55,000
Anti Jagged 1	Rabbit	Human	WB, IHC, ELISA, IF	200-401-698	500 µg	¥55,000
Anti Leptin	Rabbit	Mouse	WB, IHC, ELISA	210-401-320	1mg	¥55,000
Anti Myelin Basic Protein	Chicken	Rat	WB, IF	200-901-D81	100 µL	¥65,000
Anti Nestin	Rabbit	Human	WB, ELISA	600-401-417	100 µg	¥55,000
Anti Neuraminidase	Rabbit	Human	WB, ELISA	600-401-850	100 µg	¥55,000
Anti Neurofilament H	Mouse	Bovine	WB, IF	200-301-D82	100 µL	¥65,000
Anti Neurofilament L	Mouse	Porcine	WB, IF	200-301-D83	100 µL	¥65,000
Anti Neurofilament M	Mouse	Rat	WB, IF	212-301-D84	100 µL	¥65,000
Anti Nitrotyrosine	Mouse		WB, IHC, ELISA	200-301-A98	100 µg	¥55,000
Anti NogoA	Rabbit	Human	WB, IHC, ELISA	600-401-C01	100 µg	¥55,000
Anti Notch 1(cleaved)	Rabbit	Human	WB, ELISA	100-401-407	200 µL	¥55,000
Anti Notch 1(Intra)	Rabbit	Human	WB, IHC, ELISA	100-401-405	200 µL	¥55,000
Anti Notch 2(cleaved)	Rabbit	Human	WB, IHC, ELISA	100-401-408	200 µL	¥55,000
Anti Notch 2(Intra)	Rabbit	Human	WB, IHC, ELISA	100-401-406	200 µL	¥55,000
Anti PACRG	Rabbit	Human	WB, ELISA	600-401-474	100 µg	¥55,000
Anti Potassium Chloride Cotransporter (KCC2), phospho Ser940	Rabbit	Rat	WB	612-401-E15	100 µL	¥65,000
Anti Robo-1	Rabbit	Human	WB, IHC, ELISA, IF	600-401-692	100 µg	¥55,000
Anti S100 Protein	Rabbit	Bovine	WB, IHC, ELISA	200-401-874	500 µg	¥55,000
* Anti Selenoprotein W	Rabbit	Mouse	WB, ELISA, IP	600-401-A29	100 µg	¥55,000
Anti SH3GL1	Mouse	Rat	WB, IHC, IF, IP	200-301-G41	100 µg	¥65,000
Anti SLIT-1	Rabbit	Mouse	WB, ELISA	600-401-860	100 µg	¥55,000
Anti SLIT-2	Rabbit	Human	WB, ELISA	600-401-846	100 µg	¥55,000
Anti SLIT-3	Rabbit	Human	WB, ELISA	600-401-884	100 µg	¥55,000
Anti Superoxide Dismutase	Rabbit	Bovine	WB, ELISA	200-4191-0100	100 µg	¥66,000
Anti Synapsin I	Rabbit	Bovine	WB	100-401-C92	50 µL	¥65,000
* Anti Tamalin	Rabbit	Mouse	WB, ELISA, IP	600-401-988	100 µg	¥55,000
Anti Tau	Rabbit	Human	WB, IHC, ELISA	200-C01-B33	100 µL	¥55,000
Anti Tau pS416	Rabbit	Rat	WB	612-401-E42	100 µL	¥65,000
Anti Tetanus Toxin fragment C (TTFC)	Rabbit	<i>Clostridium tetanii</i>	WB, ELISA	100-401-894	100 µL	¥55,000
Anti TrkB	Rabbit	Rat	WB	612-401-E47	100 µL	¥65,000
Anti Zic 1	Rabbit	Mouse	WB, IHC, ELISA, IF	200-401-159	100 µg	¥60,000
Anti Zic 2	Rabbit	Mouse	WB, ELISA	600-401-848	100 µg	¥55,000

* NCI (米国国立癌研究所) で評価済み


適用 ChIP: クロマチン免疫沈降
IB: 免疫ブロット
IP: 免疫沈降

Dot: ドットブロット
IF: 免疫蛍光法
Neu: 中和


ELISA: 固相酵素免疫検定法
IHC: 免疫組織化学
WB: ウェスタンブロット

FC: フローサイトメトリー
IHC(f): 免疫組織化学凍結切片


Gel Shift: ゲルシフトアッセイ
IHC(p): 免疫組織化学パラフィン切片




Gt anti-AP3D1




Gt anti-Apolipoprotein A1




Gt anti-Apolipoprotein B



Rb anti-BACE




Rb anti-COX-2



Rb anti-Dab1

Epigenetics



Histone H3, mono methyl Lys4 抗体

品番：600-401-157 包装：50 µg 希望販売価格：¥73,000

適用：WB, IHC, IF, ChIP

β Amyloid 抗体はマウス脳組織抽出物のウエスタンブロットングにおいて、より高い分子量の前駆体と一致する 40-50 kDa のバンドを検出します。


特異性：Histone H3 のモノメチル化リシン 4 に特異的で、ジメチル-、トリメチル-リシン 4 およびメチル化リシン 9 には交差しません。

交差種：Human / Mouse / Rat / Chicken / *C. elegans* / *Xenopus* / *Drosophila* / Plant


Rockland Immunochemicals, Inc. メーカー略号：RKL

品名	免疫動物	由来	適用	品番	包装	希望販売価格
Anti 14-3-3	Rabbit	Rat	WB	612-401-D01	100 µL	¥65,000
Anti ATDC, acetyl Lys116	Rabbit	Human	WB, ELISA	600-401-B16	100 µg	¥55,000
Anti ATF6	Mouse	Human	WB	200-301-H56	100 µg	¥66,000
Anti PRDM1/Blimp1	Rabbit	Human	WB, ELISA	600-401-B52	100 µg	¥55,000
Anti BRRN-1	Rabbit	Human	WB, ELISA	600-401-682	100 µg	¥55,000
* Anti CENP-Q	Rabbit	Human	WB, ELISA	200-401-B48	100 µg	¥55,000
Anti Co-Rest/RCOR1	Mouse	Human	WB, IHC, IP	200-301-F16	100 µg	¥65,000
Anti CREB 1 (P43)	Rabbit	Human	WB, ELISA, Gel Shift	100-401-195	100 µL	¥55,000
Anti CTCF	Rabbit	Human	WB, ELISA	600-401-C42	100 µg	¥58,000
Anti Dicer	Rabbit	Mouse	WB, IF	200-401-H68	100 µg	¥66,000
Anti Dnmt1	Mouse	Human	WB, IHC	200-301-H69	100 µg	¥66,000
Anti Dnmt3a	Mouse	Mouse	WB, IF	200-301-H70	100 µg	¥66,000
Anti Dnmt3b	Mouse	Mouse	WB, IF, IP	200-301-H71	100 µg	¥66,000
Anti DNMT3L	Mouse	Human	WB, IHC, IF, IP	209-301-F22	100 µg	¥65,000
Anti DNMT3L	Rabbit	Human	WB, ELISA, IP	600-401-454	100 µg	¥55,000
Anti EZH1	Rabbit	Human	WB	200-401-H75	100 µg	¥66,000
Anti HB9	Rabbit	Mouse	WB, IHC	200-401-H78	100 µg	¥66,000
Anti HDAC1	Rabbit	Human	WB, IHC, ELISA	600-401-879	100 µg	¥55,000
Anti HDAC1	Rabbit	Human	WB, IHC, ELISA, IF	600-401-J16	100 µg	¥73,000
Anti HDAC2	Rabbit	Human	WB, IHC, ELISA, IF	600-401-J18	100 µg	¥73,000
Anti HDAC4	Rabbit	Human	WB, IHC, ELISA	600-401-J20	100 µg	¥66,000
Anti HDAC5	Rabbit	Human	WB, ELISA	600-401-J21	100 µg	¥66,000
Anti HDAC6	Rabbit	Human	WB, ELISA	600-401-J39	100 µg	¥66,000
Anti HDAC7	Rabbit	Human	WB, IHC, ELISA, IF	600-401-J22	100 µg	¥73,000
Anti HDAC9 (N-terminal)	Rabbit	Human	WB, ELISA	600-401-J73	100 µg	¥66,000
Anti HDAC9 (Internal)	Rabbit	Human	WB, ELISA	600-401-J74	100 µg	¥66,000
Anti HDAC10	Rabbit	Human	WB, ELISA	600-401-J76	100 µg	¥66,000
Anti HDAC11	Rabbit	Human	WB, IHC, ELISA, IF	600-401-J17	100 µg	¥73,000
Anti Histone H2AvD, phospho Ser137	Rabbit	<i>Drosophila melanogaster</i>	WB, ELISA	600-401-914	100 µg	¥55,000
Anti Histone H3	Rabbit	Human	WB, ELISA	100-401-E81	100 µL	¥66,000
Anti Histone H3, acetyl Lys18	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I81	50 µg	¥66,000
Anti Histone H3, Monomethyl Lys18	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I78	50 µg	¥73,000
Anti Histone H3, Dimethyl Lys18	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I79	50 µg	¥73,000
Anti Histone H3, Trimethyl Lys18	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I80	50 µg	¥73,000


* NCI (米国国立癌研究所) で評価済み




Rb anti-HDAC1Rb




Rb anti-H3 K4ac




Rb anti-H3 ac-Lys18



Rb anti-H3 ac-Lys4



Rb anti-H3 Me2-Lys18




Rb anti-H3 Me2-Lys36

Epigenetics


Rockland Immunochemicals, Inc. メーカー略号: RKL

品名	免疫動物	由来	適用	品番	包装	希望販売価格
Anti Histone H3, acetyl Lys23	Rabbit	Human	WB	600-401-I82	50 µg	¥66,000
Anti Histone H3, acetyl Lys27	Rabbit	Human	WB, ELISA, IP	600-401-K00	50 µg	¥66,000
Anti Histone H3, Trimethyl Lys79	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I95	50 µg	¥73,000
Anti Histone H3, Trimethyl Lys27, phospho Ser28	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I84	50 µg	¥73,000
Anti Histone H3, methyl Lys27	Rabbit	Human	WB	200-401-M74	50 µg	¥66,000
Anti Histone H3, methyl Lys27	Rabbit	Human	WB	600-401-M75	50 µg	¥66,000
Anti Histone H3, acetyl Lys36	Rabbit	Human	WB	600-401-I89	50 µg	¥73,000
Anti Histone H3, Monomethyl Lys36	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I86	50 µg	¥73,000
Anti Histone H3, Dimethyl Lys36	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I87	50 µg	¥73,000
Anti Histone H3, Trimethyl Lys36	Rabbit	Human	WB	600-401-I88	50 µg	¥73,000
Anti Histone H3, Monomethyl Lys37	Rabbit	Human	WB	600-401-I90	50 µg	¥73,000
Anti Histone H3, Dimethyl Lys37	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I91	50 µg	¥66,000
Anti Histone H3, Trimethyl Lys37	Rabbit	Human	WB	600-401-I92	50 µg	¥73,000
Anti Histone H3, acetyl Lys4	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I60	50 µg	¥73,000
Anti Histone H3, Monomethyl Lys4	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I57	50 µg	¥73,000
Anti Histone H3, Monomethyl Lys4, phospho Thr6	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I61	50 µg	¥73,000
Anti Histone H3, Dimethyl Lys4	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I58	50 µg	¥73,000
Anti Histone H3, Dimethyl Lys4, phospho Thr3	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I55	50 µg	¥73,000
Anti Histone H3, Trimethyl Lys4	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I59	50 µg	¥73,000
Anti Histone H3, Trimethyl Lys4, acetyl Lys9	Rabbit	Human	WB	600-401-J98	50 µg	¥66,000
Anti Histone H3, Trimethyl Lys4, phospho Thr6	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I62	50 µg	¥73,000
Anti Histone H3, Monomethyl Lys56	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I93	50 µg	¥73,000
Anti Histone H3, Trimethyl Lys56	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I94	50 µg	¥73,000
Anti Histone H3, Monomethyl Lys79	Rabbit	Human	WB, IF, ChIP	600-401-P10	50 µg	¥77,000
Anti Histone H3, acetyl Lys9, phospho Ser10	Rabbit	Human	WB, IF	600-401-P08	50 µg	¥77,000
Anti Histone H3, acetyl Lys9	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I72	50 µg	¥73,000
Anti Histone H3, acetyl Lys9/Lys14	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I73	50 µg	¥73,000
Anti Histone H3, Monomethyl Lys9	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I69	50 µg	¥73,000
Anti Histone H3, phospho Thr6, Monomethyl Lys9	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I64	50 µg	¥73,000
Anti Histone H3, Dimethyl Lys9	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I70	50 µg	¥73,000
Anti Histone H3, phospho Thr6, Dimethyl Lys9	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I65	50 µg	¥73,000
Anti Histone H3, Trimethyl Lys9	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I71	50 µg	¥73,000
Anti Histone H3, Trimethyl Lys9, phospho Thr6	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I66	50 µg	¥73,000
Anti Histone H3, phospho Ser10	Rabbit	Human	WB, IHC	600-401-I74	50 µg	¥73,000
Anti Histone H3, phospho Thr11/Ser10	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I75	50 µg	¥73,000
Anti Histone H3, phospho Ser28	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I83	50 µg	¥73,000
Anti Histone H3, phospho Thr11	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I76	50 µg	¥73,000
Anti Histone H3, acetyl Lys4, phospho Thr3	Rabbit	Human	WB, IHC, IF, ChIP	600-401-I56	50 µg	¥66,000
Anti Histone H3, phospho Thr3, Monomethyl Lys4	Rabbit	Human	WB, IHC	600-401-I54	50 µg	¥73,000


適用 ChIP: クロマチン免疫沈降 IB: 免疫ブロット IP: 免疫沈降
 Dot: ドットプロット IF: 免疫蛍光法 Neu: 中和
 ELISA: 固相酵素免疫検定法 IHC: 免疫組織化学 WB: ウェスタンブロット
 FC: フローサイトメトリー IHC(f): 免疫組織化学凍結切片
 Gel Shift: ゲルシフトアッセイ IHC(p): 免疫組織化学パラフィン切片




Rb anti-H3 Me1-Lys4



Rb anti-H3 Me1-Lys9



Rb anti-H3 pS10




Rb anti-H3 pS28




Rb anti-H3 pT3 Me2-Lys4




Rb anti-H3 pT3 Me1-Lys4



Rb anti-H3 pT11




Rb anti-H3 pT11/pS10




Rb anti-H3 pT6



Rb anti-H3 pT6-Me2-Lys9



Rb anti-H3 Me3-Lys18




Rb anti-H3 Me3-Lys56

品名	免疫動物	由来	適用	品番	包装	希望販売価格
Anti Histone H3, phospho Thr3, Sym-dimethyl Arg2	Rabbit	Human	WB, IF	600-401-p14	50 µg	¥77,000
Anti Histone H3, phospho Thr6	Rabbit	Human	WB, IHC, IF, ChIP	600-401-l63	50 µg	¥73,000
Anti Histone H3, Asym-dimethyl Arg17	Rabbit	Human	WB, IHC, IF, ChIP	600-401-l77	50 µg	¥73,000
Anti Histone H3, Monomethyl Arg2	Rabbit	Human	WB	600-401-l52	50 µg	¥73,000
Anti Histone H3, Asym-dimethyl Arg2	Rabbit	Human	WB, IHC	600-401-l53	50 µg	¥73,000
Anti Histone H3, Sym-dimethyl Arg2, Dimethyl Lys4	Rabbit	Human	WB, IHC, IF, ChIP	600-401-l85	50 µg	¥73,000
Anti Histone H3, Asym-dimethyl Arg8	Rabbit	Human	WB, IHC, IF, ChIP	600-401-l67	50 µg	¥73,000
Anti Histone H3, Sym-dimethyl Arg8	Rabbit	Human	WB, ChIP	600-401-l68	50 µg	¥73,000
Anti Histone H4, acetyl Lys12	Rabbit	Human	WB, IHC, IF	600-401-P06	50 µg	¥77,000
Anti Histone H4, acetyl Lys16	Rabbit	Human	WB, IHC	600-401-J00	50 µg	¥73,000
Anti Histone H4, Monomethyl Lys20	Rabbit	Human	WB, IHC, IF, ChIP	600-401-J01	50 µg	¥73,000
Anti Histone H4, Dimethyl Lys20	Rabbit	Human	WB, IHC, IF, ChIP	600-401-J02	50 µg	¥73,000
Anti Histone H4, acetyl Lys5	Rabbit	Human	WB, IHC, ChIP	600-401-l98	50 µg	¥73,000
Anti Histone H4, acetyl Lys8	Rabbit	Human	WB, IHC, IF, ChIP	600-401-l99	50 µg	¥73,000
Anti Histone H4, phospho Ser1	Rabbit	Human	WB, IHC, IF, ChIP	600-401-l96	50 µg	¥73,000
Anti Histone H4, Monomethyl Arg3	Rabbit	Human	WB, IHC, IF, ChIP	600-401-l97	50 µg	¥73,000
* Anti HMGN, phospho Ser20/Ser24	Rabbit	Human	WB, IHC, ELISA	600-401-898	100 µg	¥55,000
Anti KLF4	Rabbit	Human	WB, IHC(p), FC	200-401-H88	100 µg	¥66,000
Anti Acetyl Lysine	Rabbit		WB, ELISA, IP	600-401-939	100 µg	¥55,000
Anti Methylated Lysine	Rabbit		WB, ELISA	600-401-940	100 µg	¥55,000
Anti MBD3	Mouse	Human	WB	200-301-H92	100 µg	¥66,000
Anti MITF	Mouse	Human	WB	200-301-H93	100 µg	¥66,000
Anti MyoD	Mouse	Mouse	WB, IF, IP	200-301-H94	100 µg	¥66,000
* Anti NCOA3	Rabbit	Human	WB, ELISA, IP	600-401-A40	100 µg	¥55,000
Anti NFATc1	Rabbit	Human	WB	200-401-H95	100 µg	¥66,000
Anti Nur77	Rabbit	Human	WB	200-401-H99	100 µg	¥66,000
Anti p28 ING5	Goat	Human	WB, ELISA	600-101-285	100 µg	¥55,000
Anti p29 ING4	Goat	Human	WB, ELISA	600-101-284	100 µg	¥55,000
Anti p33 ING1	Goat	Human	WB, ELISA	600-101-282	100 µg	¥55,000
Anti p47 ING3	Goat	Human	WB, ELISA	600-101-283	100 µg	¥55,000
Anti p73	Mouse	Human	WB, IHC, ChIP	200-301-l02	100 µg	¥66,000
Anti PARP	Mouse	Human	WB, FC	200-301-l03	100 µg	¥66,000
Anti PCNA	Rabbit	Human	WB, ELISA	600-401-968	100 µg	¥55,000
Anti PRMT6	Rabbit	Human	WB	100-401-l04	200 µL	¥66,000
Anti RING1B	Goat	Human	WB, ELISA	600-101-292	100 µg	¥55,000
Anti SIRT5	Rabbit	Human	WB	200-401-l14	100 µg	¥66,000
Anti STING	Rabbit	Human	WB	600-401-l20	100 µg	¥66,000
Anti Tankyrase	Mouse	Human	WB	200-301-l21	100 µg	¥66,000
Anti TET2	Rabbit	Human	WB, ELISA	100-401-N93	100 µL	¥69,000
Anti TET3	Rabbit	Human	WB, ELISA	100-401-N94	100 µL	¥69,000


* NCI (米国国立癌研究所) で評価済み




Rb anti-H3 Me3-Lys79




Rb anti-H3 Me3-Lys9




Rb anti-HMGN pS20/24



Rb anti-H4 K5Ac




Rb anti-H4 K20me2




Rb anti-H4 pS1





Rb anti-H4 R3me1




Rb anti-RING1B



Histone H3 Antibody


Histone H3 K27
Methyl Antibody

p73 Antibody



TET3 Antibody

TrueBlot®: IP 抗体由来の H 鎖 / L 鎖のバンドなし!



引用文献 300 以上!

TrueBlot® は IgG の未変性ジスルフィド型を優先的に検出するため、免疫沈降 / WB プロトコールに最適です。TrueBlot® は免疫沈降した抗体の ~55 kDa の H 鎖、~23 kDa の L 鎖による干渉を抑えられます。リン酸化を含む翻訳後修飾やタンパク質の相互作用の研究に適しています。

品名	品番	包装	希望販売価格
マウス			
Mouse TrueBlot®: Anti-Mouse Ig Biotin	13-8817-80	25 µg	¥ 13,000
	13-8817-82	100 µg	¥ 33,000
Mouse TrueBlot® ULTRA: Anti-Mouse g HRP	18-8817-30	20 µL	¥ 9,000
	18-8817-31	50 µL	¥ 19,000
	18-8817-33	200 µL	¥ 40,000
Mouse TrueBlot® Set (with IP Beads)	88-7788-31	1 set	¥ 51,000
Mouse TrueBlot® Western Blot Kit	88-8887-31	1 kit	¥ 52,000
TrueBlot® Anti-Mouse Ig IP Beads	00-8811-25	2.5 mL	¥ 33,000
ウサギ			
Rabbit TrueBlot®: Anti-Rabbit IgG HRP	18-8816-31	50 µL	¥ 19,000
	18-8816-33	200 µL	¥ 40,000
Rabbit TrueBlot® Set (with IP beads)	88-1688-31	1 set	¥ 44,000
Rabbit TrueBlot® Western Blot Kit	88-8886-31	1 kit	¥ 55,000
TrueBlot® Anti-Rabbit Ig IP Beads	00-8800-25	2.5 mL	¥ 33,000
ヤギ			
Goat TrueBlot®: Anti-Goat IgG HRP	18-8814-31	50 µL	¥ 19,000
	18-8814-33	200 µL	¥ 38,000
Goat TrueBlot® Set (with IP beads)	88-1488-31	1 set	¥ 57,000
Goat TrueBlot® Western Blot Kit	88-8884-31	1 kit	¥ 55,000
TrueBlot® Anti-Goat Ig IP Beads	00-8844-25	2.5 mL	¥ 38,000
ヒツジ			
Sheep TrueBlot®: Anti-Sheep IgG HRP	18-8815-31	50 µL	¥ 19,000
	18-8815-33	200 µL	¥ 38,000

Rockland Immunochemicals, Inc. メーカー略号: RKL



Fluorescent TrueBlot®


従来の TrueBlot® に新シリーズが加わりました。オリジナルの TrueBlot® 試薬の性能と特異性に汎用の蛍光色素または近赤外色素を組み合わせています。FLISA アッセイ、フローサイトメトリー、蛍光ウエスタンブロットなどでターゲットタンパク質を検出する二次抗体としてお使いいただけます。

品名	品番	包装	希望販売価格
Fluorescent TrueBlot®: Anti-Mouse IgG Fluorescein	18-0217-32	100 µL	¥40,000
Fluorescent TrueBlot®: 680 Anti-Mouse IgG DyLight™	18-4417-32	100 µL	¥40,000
Fluorescent TrueBlot®: Anti-Mouse IgG IRDye800®	18-3217-32	100 µL	¥40,000
Fluorescent TrueBlot®: Anti-Rabbit IgG Fluorescein	18-0216-32	100 µL	¥40,000
Fluorescent TrueBlot®: Anti-Rabbit IgG DyLight™ 680	18-4416-32	100 µL	¥40,000
Fluorescent TrueBlot®: Anti-Rabbit IgG IRDye800®	18-3216-32	100 µL	¥40,000

Rockland Immunochemicals, Inc. メーカー略号: RKL


AKT アイソフォーム特異的モノクローナル抗体

AKT(プロテインキナーゼ B または PKB) はセリン/スレオニン特異的プロテインキナーゼで、グルコース代謝、アポトーシス、細胞増殖、転写、細胞遊走への主要な関わりが知られています。AKT 活性化は腫瘍細胞の生存、増殖、浸潤にも関わります。AKT インヒビターは癌治療のための現行の臨床治療のテーマです。AKT アイソフォームは組織発現、バスキュラリゼーション、阻害感度に関して異なることがわかっています。ロックランド社ではライセートの調査や薬力学的研究に適した AKT アイソフォーム抗体のパネルをご用意しています。




AKT アイソフォーム特異的抗体のウェスタンブロット：

リコンビナント GST-AKT1、GST-AKT2、GST-AKT3 タンパク質 50 ng を SDS PAGE(4-20% ゲル) し、0.2 μ m ニトロセルロース膜に転写した。膜はブロッキングバッファー (品番 MB-070) で 1 時間室温でブロックした。AKT1 クローン 14E5A2B2 H9/E5 (品番 200-301-I51) 抗体、AKT2 クローン 16G11A7 (品番 200-501-E71) 抗体、AKT3 クローン 25F6F6D8 (品番 200-301-E75) をそれぞれブロッキングバッファーで 1 μ m/mL に希釈し、アプライし 16 時間 4°C でインキュベートした。二次抗体の Rabbit anti Mouse IgG HRP (品番 610-403-C46) または Goat anti Rat IgG HRP (品番 612-103-120) をブロッキングバッファーに 0.05 μ g/mL でアプライし 1 時間室温でインキュベートした。その後 FemtoMax™ 化学発光試薬 (品番 FEMTOMAX-110) で検出した。矢印は各 AKT アイソフォームを示す。



AKT アイソフォーム特異的モノクローナル抗体



パネル (左)：プレートをモノクローナル AKT1 抗体（キャプチャー抗体）でコートし、活性型リコンビナント AKT1、AKT2、AKT3 タンパク質とインキュベートした。結合はビオチン標識 AKT pS473 抗体で検出した。

パネル (右)：プレートをモノクローナル AKT1 抗体（キャプチャー抗体）でコートし、リコンビナント AKT1 タンパク質または、リン酸化 AKT1 タンパク質とインキュベートした。結合はビオチン標識 AKT pS473 抗体で検出した。

要約：AKT1 モノクローナル抗体はリコンビナント AKT1 タンパク質に特異的で、アイソフォーム 2 や 3 には特異的に反応しない。AKT1 アイソフォーム特異的抗体と AKTpS473 抗体（品番 200-301-168）は薬力学アッセイの抗体ペアとしてお使いいただけます。

品名		非標識	BIOTIN	APC	PE	FITC
Anti-AKT Monoclonal Antibody	品番	200-301-401	200-306-401			
	包装	100 µg	50 µg	—	—	—
	希望販売価格	¥ 55,000	¥ 69,000			
Anti-AKT1 Monoclonal Antibody	品番	200-301-I51	200-306-I51	200-326-I51	200-308-I51	200-302-I51
	包装	100 µg	50 µg	50 µg	50 µg	50 µg
	希望販売価格	¥ 66,000	¥ 69,000	¥ 69,000	¥ 69,000	¥ 69,000
Anti-AKT1 Monoclonal Antibody	品番	200-301-J34	200-306-J34	200-326-J34	200-308-J34	200-302-J34
	包装	100 µg	50 µg	50 µg	50 µg	50 µg
	希望販売価格	¥ 66,000	¥ 69,000	¥ 69,000	¥ 69,000	¥ 69,000
Anti-AKT2 Monoclonal Antibody	品番	200-501-E71	200-506-E71	200-526-E71	200-508-E71	200-502-E71
	包装	100 µg	50 µg	50 µg	50 µg	50 µg
	希望販売価格	¥ 65,000	¥ 69,000	¥ 69,000	¥ 69,000	¥ 69,000
Anti-AKT3 Monoclonal Antibody	品番	200-301-E75	200-306-E75	200-326-E75	200-308-E75	200-302-E75
	包装	100 µg	50 µg	50 µg	50 µg	50 µg
	希望販売価格	¥ 65,000	¥ 69,000	¥ 69,000	¥ 69,000	¥ 69,000

Rockland Immunochemicals, Inc. メーカー略号：RKL

お願い および 注意事項

- 希望販売価格 … 「希望販売価格」は参考であり、販売店様からの販売価格ではありません。
記載の希望販売価格は2014年4月1日現在の希望販売価格です。
予告なしに改定される場合がありますので、ご注文の際にご確認下さい。消費税は含まれておりません。
- 使用範囲 … 記載の商品は全て、「研究用機器」です。
人や動物の医療用・臨床診断用・食品用等としては使用しないよう、十分ご注意ください。

(12013)

取扱店



人と科学のステキな未来へ

コスモ・バイオ株式会社

〒135-0016 東京都江東区東陽 2-2-20 東陽駅前ビル
URL : <http://www.cosmobio.co.jp/>

● 営業部（お問い合わせ）
TEL : (03) 5632-9610 FAX : (03) 5632-9619
TEL : (03) 5632-9620